



# RHS PERFECT FOR POLLINATORS PLANT LIST

## WINTER

### NOV – FEB

<i>Clematis cirrhosa</i> Spanish traveller's joy	C
<i>Crocus species</i> crocus (winter-flowering)	B
<i>Eranthis hyemalis</i> winter aconite	B
× <i>Fatsyhedera lizei</i> tree ivy	S
<i>Galanthus nivalis</i> common snowdrop	B
<i>Helleborus species and hybrids</i> hellebore (winter-flowering)	H
<i>Lonicera × purpusii</i> Purpus honeysuckle	S
<i>Mahonia species</i> Oregon grape	S
<i>Salix aegyptiaca</i> musk willow	S
<i>Sarcococca confusa</i> sweet box	S
<i>Sarcococca hookeriana</i> sweet box	S
<i>Viburnum tinus</i> laurustinus	S

## SPRING

### MAR – MAY

<i>Acer campestre</i> field maple	S or T
<i>Acer platanooides</i> Norway maple	T
<i>Acer pseudoplatanus</i> sycamore	T
<i>Acer saccharum</i> sugar maple	T
<i>Aesculus hippocastanum</i> horse chestnut	T
<i>Ajuga reptans</i> Native plant; bugle	H
<i>Arabis alpina</i> subsp. <i>caucasica</i> alpine rock cress	H
<i>Armeria juniperifolia</i> juniper-leaved thrift	H
<i>Aubrieta species</i> aubretia	H
<i>Aurinia saxatilis</i> gold dust	H
<i>Berberis darwinii</i> Darwin's barberry	S

### SPRING (cont.)

<i>Berberis thunbergii</i> Japanese barberry	S
<i>Bergenia species</i> elephant ear	H
<i>Buxus sempervirens</i> Native plant; common box	S
<i>Caltha palustris</i> Native plant; marsh marigold	H
<i>Cercis siliquastrum</i> Judas tree	T
<i>Chaenomeles species</i> Japanese quince	S
<i>Cornus mas</i> Cornelian cherry	S
<i>Cotoneaster conspicuus</i> Tibetan cotoneaster	S
<i>Crataegus monogyna</i> Native plant; common hawthorn	S or T
<i>Crocus species</i> crocus (spring-flowering)	B
<i>Doronicum × excelsum</i> leopard's bane	H
<i>Enkianthus campanulatus</i> redvein enkianthus	S
<i>Erysimum species</i> wallflower	Bi
<i>Erica carnea</i> alpine heath	S
<i>Erica × darleyensis</i> Darley Dale heath	S
<i>Erysimum 'Bredon'</i> wallflower 'Bredon'	H
<i>Euphorbia amygdaloides</i> wood spurge	H
<i>Euphorbia characias</i> Mediterranean spurge	H
<i>Euphorbia cyparissias</i> cypress spurge	H
<i>Euphorbia nicaeensis</i> Nice spurge	H
<i>Euphorbia epithymoides</i> cushion spurge	H
<i>Geranium species</i> cranesbill	H
<i>Geum rivale</i> Native plant; water avens	H
<i>Hebe species</i> hebe	S
<i>Helleborus species &amp; hybrids</i> hellebore (spring-flowering)	H
<i>Iberis saxatilis</i> alpine candytuft	H
<i>Iberis sempervirens</i> perennial candytuft	H
<i>Ilex aquifolium</i> Native plant; common holly	T

Subspecies and cultivars of plants listed here are also Perfect for Pollinators. Plants with double or multi-petalled flowers are excluded.

KEY T = tree; S = shrub; C = climber; B = bulbs and corms; A = annual; Bi = biennial; H = herbaceous perennial



## RHS PERFECT FOR POLLINATORS PLANT LIST

### SPRING (cont.)

<i>Lamium maculatum</i> spotted dead nettle	H
<i>Lunaria annua</i> honesty	Bi
<i>Mahonia species</i> Oregon grape (spring-flowering)	S
<i>Malus baccata</i> Siberian crab	T
<i>Malus domestica</i> edible apple	T
<i>Malus floribunda</i> Japanese crab	T
<i>Malus hupehensis</i> Hupeh crab	T
<i>Malus sargentii</i> Sargent's crab apple	T
<i>Mespilus germanica</i> common medlar	T
<i>Muscari armeniacum</i> Armenian grape hyacinth	B
<i>Ornithogalum umbellatum</i> common star of Bethlehem	B
<i>Pieris formosa</i> lily-of-the-valley bush	S
<i>Pieris japonica</i> lily-of-the-valley bush	S
<i>Primula veris</i> common cowslip	H
<i>Primula vulgaris</i> Native plant; primrose	H
<i>Prunus avium</i> Native plant; wild & edible cherries	T
<i>Prunus domestica</i> wild & edible plums	T
<i>Prunus dulcis</i> almond	T
<i>Prunus incisa</i> 'Kojo-no-mai' cherry 'Kojo-no-mai'	S
<i>Prunus insititia</i> damson	T
<i>Prunus laurocerasus</i> cherry laurel	S
<i>Prunus mume</i> Japanese apricot	T
<i>Prunus padus</i> Native plant; bird cherry	T
<i>Prunus pendula</i> f. <i>ascendens</i> 'Rosea' flowering cherry	T
<i>Prunus persica</i> peach	T
<i>Prunus spinosa</i> Native plant; blackthorn	S
<i>Prunus tenella</i> dwarf Russian almond	S
<i>Prunus</i> × <i>yedoensis</i> flowering cherry	T
<i>Pulmonaria species</i> lungwort	H
<i>Pyrus communis</i> pear	T

### SPRING (cont.)

<i>Ribes nigrum</i> blackcurrant	S
<i>Ribes rubrum</i> common redcurrant	S
<i>Ribes sanguineum</i> flowering currant	S
<i>Salix caprea</i> Native plant; goat willow (male form only)	S or T
<i>Salix hastata</i> 'Wehrhahnii' halberd willow 'Wehrhahnii'	S
<i>Salix lanata</i> Native plant; woolly willow (male form only)	S
<i>Skimmia japonica</i> skimmia	S
<i>Smyrniolum olusatrum</i> alexanders	Bi
<i>Stachyurus chinensis</i> stachyurus	S
<i>Stachyurus praecox</i> stachyurus	S
<i>Vaccinium corymbosum</i> blueberry	S

## SUMMER

### JUNE – AUG

<i>Achillea species</i> yarrow	H
<i>Actaea japonica</i> baneberry	H
<i>Aesculus indica</i> Indian horse chestnut (resistant to leaf-mining moth)	T
<i>Aesculus parviflora</i> bottlebrush buckeye	S
<i>Agastache species</i> giant hyssop	H
<i>Ageratum houstonianum</i> flossflower	A
<i>Alcea rosea</i> hollyhock	Bi
<i>Allium species</i> ornamental and edibles (when allowed to flower)	B
<i>Amberboa moschata</i> sweet sultan	A
<i>Amsonia tabernaemontana</i> eastern bluestar	H
<i>Anchusa azurea</i> large blue alkanet	A
<i>Anchusa capensis</i> Cape alkanet	A
<i>Angelica archangelica</i> angelica	Bi
<i>Angelica gigas</i> purple angelica	Bi
<i>Angelica sylvestris</i> Native plant; wild angelica	Bi

Subspecies and cultivars of plants listed here are also Perfect for Pollinators. Plants with double or multi-petalled flowers are excluded.

KEY T = tree; S = shrub; C = climber; B = bulbs and corms; A = annual; Bi = biennial; H = herbaceous perennial



## RHS PERFECT FOR POLLINATORS PLANT LIST

### SUMMER (cont.)

<i>Anthemis tinctoria</i> dyer's chamomile	H
<i>Antirrhinum majus</i> snapdragon	A or H
<i>Aquilegia species</i> columbine	H
<i>Argemone platyceras</i> crested poppy	A or H
<i>Armeria maritima</i> Native plant; thrift	H
<i>Aruncus dioicus</i> goat's beard (male form only)	H
<i>Asparagus officinalis</i> common asparagus	H
<i>Astrantia major</i> greater masterwort	H
<i>Borago officinalis</i> borage	A
<i>Brachyglottis</i> (Dunedin Group) 'Sunshine' brachyglottis 'Sunshine'	S
<i>Brachyglottis monroi</i> Monro's ragwort	S
<i>Buddleja davidii</i> butterfly bush	S
<i>Buddleja globosa</i> orange ball tree	S
<i>Buphthalmum salicifolium</i> yellow ox-eye	H
<i>Bupleurum fruticosum</i> shrubby hare's ear	S
<i>Calamintha nepeta</i> lesser calamint	H
<i>Calendula officinalis</i> common marigold	A
<i>Callicarpa bodinieri</i> var. <i>giraldii</i> beautyberry	S
<i>Callistephus chinensis</i> China aster	A
<i>Calluna vulgaris</i> Native plant; heather	S
<i>Campanula carpatica</i> tussock bellflower	H
<i>Campanula glomerata</i> Native plant; clustered bellflower	H
<i>Campanula lactiflora</i> milky bellflower	H
<i>Campanula latifolia</i> giant bellflower	H
<i>Campanula medium</i> Canterbury bells	Bi
<i>Campanula persicifolia</i> peach-leaved bellflower	H
<i>Campsis radicans</i> trumpet honeysuckle	C
<i>Caryopteris × clandonensis</i> caryopteris	S
<i>Catalpa bignonioides</i> Indian bean tree	T

### SUMMER (cont.)

<i>Catananche caerulea</i> blue cupidone	H
<i>Centaurea atropurpurea</i> purple knapweed	H
<i>Centaurea cyanus</i> Native plant; cornflower	A
<i>Centaurea dealbata</i> mealy centaury	H
<i>Centaurea macrocephala</i> giant knapweed	H
<i>Centaurea montana</i> perennial cornflower	H
<i>Centaurea nigra</i> Native plant; common knapweed	H
<i>Centaurea scabiosa</i> Native plant; greater knapweed	H
<i>Centranthus ruber</i> red valerian	H
<i>Centratherum punctatum</i> Manaos beauty	A
<i>Cerintho major</i> 'Purpurascens' honeywort 'Purpurascens'	A
<i>Cirsium rivulare</i> 'Atropurpureum' purple plume thistle	H
<i>Clarkia unguiculata</i> butterfly flower	A
<i>Clematis vitalba</i> Native plant; old man's beard, travellers' joy	C
<i>Cleome hassleriana</i> spider flower	A
<i>Consolida ajacis</i> giant larkspur	A
<i>Convolvulus tricolor</i> dwarf morning glory	C/A
<i>Coreopsis species</i> tickseed	H or A
<i>Cornus alba</i> red-barked dogwood	S
<i>Cosmos bipinnatus</i> cosmea	A
<i>Cosmos sulphureus</i> yellow cosmos	A
<i>Crambe cordifolia</i> greater sea kale	H
<i>Crataegus monogyna</i> Native plant; common hawthorn	S or T
<i>Cucurbita pepo</i> marrow, courgette	A
<i>Cuphea ignea</i> cigar flower	A
<i>Cynara cardunculus</i> including <b>Scolymus Group</b> globe artichoke and cardoon	H
<i>Cynoglossum amabile</i> Chinese forget-me-knot	H
<i>Dahlia species</i> dahlia	H
<i>Delosperma floribundum</i> ice plant	H

Subspecies and cultivars of plants listed here are also Perfect for Pollinators. Plants with double or multi-petalled flowers are excluded.

KEY T = tree; S = shrub; C = climber; B = bulbs and corms; A = annual; Bi = biennial; H = herbaceous perennial



## RHS PERFECT FOR POLLINATORS PLANT LIST

### SUMMER (cont.)

<i>Delphinium elatum</i> candle larkspur	H
<i>Dianthus barbatus</i> sweet william	Bi
<i>Dictamnus albus</i> dittany	H
<i>Digitalis species</i> foxglove	Bi
<i>Dipsacus fullonum</i> Native plant; common teasel	Bi
<i>Echinacea purpurea</i> purple coneflower	H
<i>Echinops species</i> globe thistle	H
<i>Echium vulgare</i> Native plant; viper's bugloss	A
<i>Elaeagnus angustifolia</i> oleaster	S
<i>Erica cinerea</i> Native plant; bell heather	S
<i>Erica erigena</i> Irish heath	S
<i>Erica vagans</i> Native plant; Cornish heath	S
<i>Erigeron species</i> fleabane	H
<i>Eriophyllum lanatum</i> golden yarrow	H
<i>Eryngium × tripartitum</i> eryngo	H
<i>Eryngium alpinum</i> alpine eryngo	H
<i>Eryngium giganteum</i> Miss Willmott's ghost	Bi
<i>Eryngium planum</i> blue eryngo	H
<i>Erysimum × allionii</i> Siberian wallflower	H
<i>Erysimum</i> 'Bowles's Mauve' wallflower 'Bowles's Mauve'	S
<i>Escallonia species</i> escallonia	S
<i>Eschscholzia californica</i> California poppy	A
<i>Eupatorium cannabinum</i> Native plant; hemp agrimony	H
<i>Eupatorium maculatum</i> Joe Pye weed	H
<i>Euphorbia cornigera</i> horned spurge	H
<i>Euphorbia sarawshanica</i> Zeravshan spurge	H
<i>Ferula communis</i> giant fennel	H
<i>Foeniculum vulgare</i> common fennel	H
<i>Fragaria × ananassa</i> garden strawberry	H
<i>Fuchsia species</i> fuchsia – hardy types	S

### SUMMER (cont.)

<i>Gaillardia × grandiflora</i> blanket flower	H
<i>Gaura lindheimeri</i> white gaura	H
<i>Geranium pratense</i> Native plant; meadow cranesbill	H
<i>Geranium species</i> cranesbill (summer-flowering)	H
<i>Geum species</i> avens (summer-flowering)	H
<i>Gilia capitata</i> blue thimble flower	A
<i>Glebionis segetum</i> Native plant; corn marigold	A
<i>Gypsophila elegans</i> annual baby's breath	A
<i>Hebe species</i> hebe	S
<i>Helenium species</i> Helen's flower	H
<i>Helianthus annuus</i> common sunflower (avoid pollen-free cultivars)	A
<i>Helianthus debilis</i> cucumberleaf sunflower	A
<i>Heliopsis helianthoides</i> smooth ox-eye	H
<i>Heliotropium arborescens</i> common heliotrope	A
<i>Heracleum sphondylium</i> Native plant; hogweed	Bi
<i>Hesperis matronalis</i> dame's violet	H
<i>Hydrangea anomala</i> subsp. <i>petiolaris</i> climbing hydrangea	C
<i>Hydrangea paniculata</i> paniculate hydrangea (cultivars with many fertile flowers e.g. 'Kyushu', 'Big Ben', 'Floribunda', 'Brussels Lace')	S
<i>Hyssopus officinalis</i> hyssop	S
<i>Iberis amara</i> wild candytuft	A
<i>Ilex aquifolium</i> Native plant; common holly	T
<i>Inula species</i> harvest daisy	H
<i>Jasminum officinale</i> common jasmine	C
<i>Kalmia latifolia</i> mountain laurel	S
<i>Knautia arvensis</i> Native plant; field scabious	H
<i>Knautia macedonica</i> Macedonian scabious	H
<i>Koelreuteria paniculata</i> pride of India	T
<i>Lathyrus latifolius</i> broad-leaved everlasting pea	H

Subspecies and cultivars of plants listed here are also Perfect for Pollinators. Plants with double or multi-petalled flowers are excluded.

KEY T = tree; S = shrub; C = climber; B = bulbs and corms; A = annual; Bi = biennial; H = herbaceous perennial



## RHS PERFECT FOR POLLINATORS PLANT LIST

### SUMMER (cont.)

<i>Laurus nobilis</i> bay tree	S
<i>Lavandula angustifolia</i> English lavender	S
<i>Lavandula</i> × <i>intermedia</i> lavandin	S
<i>Lavandula stoechas</i> French lavender	S
<i>Lavatera olbia</i> tree lavatera	S
<i>Lavatera trimestris</i> annual lavatera	A
<i>Leucanthemum</i> × <i>superbum</i> Shasta daisy	H
<i>Leucanthemum vulgare</i> Native plant; ox-eye daisy	H
<i>Liatris spicata</i> button snakewort	H
<i>Ligustrum ovalifolium</i> garden privet	S
<i>Ligustrum sinense</i> Chinese privet	S
<i>Limnanthes douglasii</i> poached egg flower	A
<i>Limonium platyphyllum</i> broad-leaved statice	H
<i>Linaria maroccana</i> annual toadflax	A
<i>Linaria purpurea</i> purple toadflax	H
<i>Lobularia maritima</i> sweet alyssum	A
<i>Lonicera periclymenum</i> Native plant; common honeysuckle	C
<i>Lychnis coronaria</i> rose campion	Bi or H
<i>Lychnis flos-cuculi</i> Native plant; ragged robin	H
<i>Lysimachia vulgaris</i> Native plant; yellow loosestrife	H
<i>Lythrum salicaria</i> Native plant; purple loosestrife	H
<i>Lythrum virgatum</i> wand loosestrife	H
<i>Malope trifida</i> large-flowered mallow wort	A
<i>Malva moschata</i> Native plant; musk mallow	H
<i>Matthiola incana</i> Brompton stocks	Bi
<i>Mentha aquatica</i> Native plant; water mint	H
<i>Mentha spicata</i> spearmint	H
<i>Monarda didyma</i> bergamot	H
<i>Myosotis</i> species forget-me-not	Bi
<i>Nemophila menziesii</i> baby blue eyes	A

### SUMMER (cont.)

<i>Nepeta</i> × <i>faassenii</i> garden catmint	H
<i>Nicotiana alata</i> flowering tobacco	A
<i>Nicotiana langsdorfii</i> Langsdorff's tobacco	A
<i>Nigella damascena</i> love-in-a-mist	A
<i>Nigella hispanica</i> Spanish fennel flower	A
<i>Oenothera</i> species evening primrose	Bi
<i>Olearia</i> species daisy bush	S
<i>Onopordum acanthium</i> cotton thistle	Bi
<i>Origanum</i> 'Rosenkuppel' marjoram 'Rosenkuppel'	H
<i>Origanum vulgare</i> Native plant; oregano, wild marjoram	H
<i>Paeonia</i> species peony	H
<i>Papaver orientale</i> oriental poppy	H
<i>Papaver rhoeas</i> Native plant; common poppy	A
<i>Parthenocissus tricuspidata</i> Boston ivy	C
<i>Penstemon</i> species beard-tongue	T
<i>Perovskia atriplicifolia</i> Russian sage	S
<i>Persicaria amplexicaulis</i> red bistort	H
<i>Persicaria bistorta</i> Native plant; common bistort	H
<i>Phacelia campanularia</i> Californian bluebell	A
<i>Phacelia tanacetifolia</i> fiddleneck	A
<i>Phaseolus coccineus</i> scarlet runner bean	A
<i>Phlomis</i> species sage	S
<i>Phlox paniculata</i> perennial phlox	H
<i>Photinia davidiana</i> stranvaesia	S
<i>Phuopsis stylosa</i> Caucasian crosswort	H
<i>Pileostegia viburnoides</i> climbing hydrangea	C
<i>Polemonium caeruleum</i> Native plant; Jacob's ladder	H
<i>Potentilla</i> species cinquefoil	H or S
<i>Prostanthera cuneata</i> alpine mint bush	S
<i>Ptelea trifoliata</i> hop tree	S

Subspecies and cultivars of plants listed here are also Perfect for Pollinators. Plants with double or multi-petalled flowers are excluded.

KEY T = tree; S = shrub; C = climber; B = bulbs and corms; A = annual; Bi = biennial; H = herbaceous perennial



## RHS PERFECT FOR POLLINATORS PLANT LIST

### SUMMER (cont.)

<i>Pyracantha</i> species	firethorn	S
<i>Reseda odorata</i>	garden mignonette	A
<i>Ridolfia segetum</i>	false fennel	A
<i>Robinia pseudoacacia</i>	false acacia	T
<i>Rosa canina</i>	Native plant; dog rose	S
<i>Rosa rubiginosa</i>	Native plant; sweet briar	S
<i>Rosa rugosa</i>	Japanese rose	S
<i>Rosmarinus officinalis</i>	rosemary	S
<i>Rubus fruticosus</i> agg.	Native plant; blackberry	S
<i>Rubus idaeus</i>	common raspberry	S
<i>Rudbeckia</i> species	coneflower	H or A
<i>Salvia</i> species	sage	A or H
<i>Sanvitalia procumbens</i>	creeping zinnia	A
<i>Scabiosa atropurpurea</i>	sweet scabious	A
<i>Scabiosa caucasica</i>	garden scabious	H
<i>Scabiosa columbaria</i>	Native plant; small scabious	H
<i>Sedum spectabile</i>	& hybrids ice plant	H
<i>Sedum telephium</i>	Native plant; orpine	H
<i>Sidalcea malviflora</i>	checkerbloom	H
<i>Solidago</i> species	goldenrod	H
<i>Sorbus aria</i>	Native plant; common whitebeam	T
<i>Sorbus aucuparia</i>	Native plant; mountain ash, rowan	T
<i>Spiraea japonica</i>	Japanese spiraea	S
<i>Stachys byzantina</i>	lamb's ear	H
<i>Stachys macrantha</i>	big sage	H
<i>Stokesia laevis</i>	Stokes' aster	H
<i>Symphoricarpos albus</i>	snowberry	S
<i>Tagetes patula</i>	French marigold	A
<i>Tamarix ramosissima</i>	tamarisk	S
<i>Tanacetum coccineum</i>	pyrethrum	H

### SUMMER (cont.)

<i>Tanacetum vulgare</i>	Native plant; tansy	H
<i>Telekia speciosa</i>	yellow ox-eye	H
<i>Tetradium daniellii</i>	bee-bee tree	T
<i>Teucrium chamaedrys</i>	wall germander	H
<i>Thymus</i> species	thyme	S
<i>Tilia × europaea</i>	common lime	T
<i>Tilia maximowicziana</i>	lime	T
<i>Tilia oliveri</i>	lime	T
<i>Tilia platyphyllos</i>	Native plant; broad-leaved lime	T
<i>Tithonia rotundifolia</i>	Mexican sunflower	A
<i>Trachymene coerulea</i>	blue lace flower	A
<i>Tropaeolum majus</i>	garden nasturtium	A
<i>Verbascum</i> species	mullein	Bi
<i>Verbena × hybrida</i>	garden verbena	A
<i>Verbena bonariensis</i>	purple top	H
<i>Verbena rigida</i>	slender vervain	A
<i>Veronica longifolia</i>	garden speedwell	H
<i>Veronicastrum virginicum</i>	Culver's root	H
<i>Viburnum lantana</i>	Native plant; common wayfaring tree	S
<i>Viburnum opulus</i>	Native plant; guelder rose	S
<i>Vicia faba</i>	broad bean	A
<i>Weigela florida</i>	weigelia	S
<i>Zauschneria californica</i>	Californian fuchsia	S
<i>Zinnia elegans</i>	youth and old age	A

## AUTUMN

### SEPT – OCT

<i>Aconitum carmichaelii</i>	Carmichael's monk's hood	H
<i>Actaea simplex</i>	simple-stemmed bugbane	H

Subspecies and cultivars of plants listed here are also Perfect for Pollinators. Plants with double or multi-petalled flowers are excluded.

KEY T = tree; S = shrub; C = climber; B = bulbs and corms; A = annual; Bi = biennial; H = herbaceous perennial



## RHS PERFECT FOR POLLINATORS PLANT LIST

### AUTUMN (cont.)

<i>Anemone hupehensis</i> Chinese anemone	H
<i>Anemone</i> × <i>hybrida</i> Japanese anemone	H
<i>Arbutus unedo</i> strawberry tree	S or T
<i>Aster</i> species and hybrids Michaelmas daisy	H
<i>Campanula poscharskyana</i> trailing bellflower	H
<i>Ceratostigma plumbaginoides</i> hardy blue-flowered leadwort	H
<i>Chrysanthemum</i> species & hybrids chrysanthemum	H
<i>Clematis heracleifolia</i> tube clematis	C
<i>Colchicum</i> species autumn crocus	B
<i>Crocus</i> species crocus (autumn-flowering types)	B
<i>Dahlia</i> species & hybrids dahlia	H

### AUTUMN (cont.)

<i>Elaeagnus pungens</i> silverthorn	S
<i>Elaeagnus</i> × <i>ebbingei</i> Ebbinge's silverberry	S
<i>Fatsia japonica</i> Japanese aralia	S
<i>Hedera colchica</i> Persian ivy	C
<i>Hedera helix</i> Native plant; common ivy	C
<i>Helianthus</i> × <i>laetiflorus</i> perennial sunflower	H
<i>Leucanthemella serotina</i> autumn ox-eye	H
<i>Machaeranthera tanacetifolia</i> tansy-leaf aster	A
<i>Salvia</i> species sage (autumn-flowering types)	H
<i>Tilia henryana</i> Henry's lime (one of the last to flower)	T

Subspecies and cultivars of plants listed here are also Perfect for Pollinators. Plants with double or multi-petalled flowers are excluded.

KEY T = tree; S = shrub; C = climber; B = bulbs and corms; A = annual; Bi = biennial; H = herbaceous perennial